



Resistant 30-Day Stucco Masking Tape

VI-N6149 is a UV resistant red polyethylene tape used by professional stucco contractors. It is used to protect and mask windows, profiles and door frames during outdoor stucco application on building walls. Engineered with a high performance rubber adhesive, it is designed to bond well to most surfaces and provide clean removal in 30 days. It also provides a watertight seal in a range of weather conditions.

Applications

- Designed to protect window and door frames in outdoor stucco masking applications
- Designed for single family, multi-family and commercial construction projects

Features & Benefits

- Excellent holding power and durability
- Outstanding UV resistance lasting up to 30 days
- Residue free when removed within 30 days
- Waterproof
- Hand tearable, leaving a clean edge
- Conforms to uneven surfaces
- Holds strong which prevents lifting
- Trusted by professional contractors nationwide



Technical Data

| | |
|------------------------|------------------------------|
| SIZES | 1.89 in x 60 yd 48mm x 55m |
| CARRIER | Polyethylene Film |
| ADHESIVE | Rubber |
| TOTAL THICKNESS | 7 mils |
| TENSILE | 22 lbs/in |
| ADHESION | 75 oz/in |
| ELONGATION | 90% |
| COLOR | Red |

Storage & Usage Conditions

Store tape in its original packaging away from direct sunlight and in a cool and dry area. For optimum performance, tape should be used within 12 months of date of shipment. Tape works best when applied to a surface that is clean, dry and free of grease, oil or other contaminants.

—

The information cited is in good faith and has been established from sources held to be secure and reliable. The values listed are typical properties. Individual rolls may vary slightly from these values. All ECH0tape products are warranted to be free of defects at time of shipment. Many factors can affect the use and performance of a product in a particular application and the user must, by test or otherwise, determine suitability for purpose; Edelstein makes no representation or warranty, express or implied, concerning any application and usage of its products. If ECH0tape product



is proved to be defective, the exclusive remedy, shall be for Edelstein to replace the defective product. ECH0tape shall not otherwise be liable for loss or damages, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including but not limited to, contract, negligence, warranty or strict liability.